

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:)	
KEIJI KOMOTO ET AL.)	Examiner: John L. Goodrow
)	Art Unit: 1756
Appln. No.: 10/764,531)	
)	Confirmation No.: 9748
Filed: January 27, 2004)	
)	
For: NON-MAGNETIC TONER)	
)	
U.S. Patent No.: 7,112,393 B2)	
)	
Issued: September 26, 2006)	April 11, 2007

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

LETTER CALLING ATTENTION TO ERRORS IN PATENT

Sir:

The following minor errors have been noted in the above-mentioned patent:

COLUMN 15:

Line 1, "2,2'-bis[4-(acryloxy.diethoxy)phenyl]propane," should read --2,2'-bis[4-(acryloxy diethoxy)phenyl]propane,--;

Line 9, "acryloxy.diethoxy)phenyl]propane," should read
--acryloxy diethoxy)phenyl]propane,--; and

Line 10, "methacryloxy.polyethoxy)phenyl]propane," should read
--methacryloxy polyethoxy)phenyl]propane,--.

COLUMN 58:

Line 15, "(C_E % should read -- (C_E : %--

These errors appear to be relatively insignificant and, therefore, we do not believe it is necessary to request a Certificate of Correction. However, it is requested that this paper be placed in the filewrapper of the above-identified patent.

Patentees' undersigned attorney may be reached in our New York office by telephone at (212) 218-2100. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

/Peter Saxon/
Peter Saxon
Attorney for Patentees
Registration No. 24,947

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
Facsimile: (212) 218-2200

NY_MAIN 628251v1